Author Index

ABE T., SUGAYA H., ISHIDA K., KHAN W.I., TASDEMIR I. & YOSHIMURA K. Intestinal protection against *Strongyloides ratti* and mastocytosis induced by administration of interleukin-3 in mice, 116
ABO T. *see* SATO K.
ADLER W.H. *see* SONG L.
AGEMATSU K. *see* SUGITA K.
AGER A. *see* BIRD I.N.
AHLUWALIA A. *see* PERRETTI M.
AMBROISE-THOMAS P. *see* PICOT S.
AMIRAND C. *see* PAUL-EUGENE N.
APPLEBERG R. & ORME I.M. Effector mechanisms involved in cytokine-mediated bacteriostasis of *Mycobacterium avium* infections in murine macrophages, 352
ARAMAKI Y., MURAI M. & TSUCHIYA S. The contribution of a serum component(s) modified by B cells to the mechanism for macrophage activation by liposomes, 253
ARDAILLOU N. *see* STEFANOVIC V.
ARDAILLOU R. *see* STEFANOVIC V.
ARIZONO N. *see* UCHIKAWA R.
ASAKURA H. *see* SATO K.
VON ASMUTH E.J.U., DENTENER M.A., BAŽIL V., BOUMA M.G., LEEUWENBERG J.F.M. & BUURMAN W.A. Anti-CD14 antibodies reduce responses of cultured human endothelial cells to endotoxin, 78
ASTON R. *see* RATHJEN D.A.
AYALA A. *see* ZHU X.

BALK S.P. *see* CANCHIS P.W.
BALLINI J.-P. *see* PAUL-EUGENE N.
BALTZ M.L. *see* TENNENT G.A.
BANERJEE K. *see* GORE M.M.
BANSAL A.S., PUMPHREY R.S., MANDAL B.K., KHOO S.H. & WILSON P.B. Serum measurements of soluble CD23 in HIV infection, 652
BAO S., GOLDSTONE S. & HUSBAND A.J. Localization of IFN-γ and IL-6 mRNA in murine intestine by *in situ* hybridization, 666
BARBE G. *see* PICOT S.
BARENHOLZ Y. *see* GREGORIADIS G.
BAUD L. *see* PHILIPPE C.
BAŽIL V. *see* VON ASMUTH E.J.U.
BEEZHOLD D.H. *see* CHANG Z.-L.
VAN DEN BERG T.K. *see* YOSHIDA K.
VAN DEN BERG W.B. *see* JACOBS M.J.M.
BERNAEZ I. *see* DE LA FUENTE M.
BERTOLINO P. *see* LOMBARD-PLATLET S.
BERTON G. *see* LAUDANNA C.
BHAN A.K. *see* CANCHIS P.W.
BIRD I.N., SPRAGG J.H., AGER A. & MATTHEWS N. Studies of lymphocyte transendothelial migration: analysis of migrated cell phenotypes with regard to CD31 (PECAM-1), CD45RA and CD45RO, 553
BITTER-SUERMANN D. *see* ZWIRNER J.
BLUMBERG R.S. *see* CANCHIS P.W.
BÖHLE A. *see* THANHÄUSER A.
BONER A. *see* LAUDANNA C.
BONIZZATO C. *see* LAUDANNA C.
BONNEFOY J.-Y. *see* KAISERLIAN D.
BORROW P., WELSH C.J.R. & NASH A.A. Study of the mechanisms by which $CD4^+$ T cells contribute to protection in Theiler's murine encephalomyelitis, 502
BORYSIEWICZ L.K. *see* MASON P.D.
BOSHELL M. *see* SANSOM D.M.
BOUDALY S. *see* ROGER T.
BOUMA M.G. *see* VON ASMUTH E.J.U.
BRAILLY H. *see* COSTELLO R.
BRAUN J. *see* SAXON A.
BRETT S.J., DUNLOP L., LIEW F.Y. & TITE J.P. Influence of the antigen delivery system on immunoglobulin isotype selection and cytokine production in response to influenza A nucleoprotein, 306
BRODIN T. *see* LANDO P.A.
BURGER R. *see* ZWIRNER J.
BUTLER P.J.G. *see* TENNENT G.A.
BUURMAN W.A. *see* VON ASMUTH E.J.U.

CALDER V.L. *see* GREENWOOD J.
CALLOW M.G. *see* HOYNE G.F.
CANCHIS P.W., BHAN A.K., LANDAU S.B., YANG L., BALK S.P. & BLUMBERG R.S. Tissue distribution of the non-polymorphic major histocompatibility complex class I-like molecule, CD1d, 561
CARDING S. *see* SANO Y.
CATOVSKY D. *see* CRAWFORD D.H.
CHAIN B.M. *see* MARCINKIEWICZ J.
CHANG Z.-L. & BEEZHOLD D.H. Protein kinase C activation in human monocytes: regulation of PKC isoforms, 360
CHAUDRY I.H. *see* ZHU X.
CHEERS C. *see* ZHAN Y.
CHUNG S. *see* SONG L.
COBBOLD P.H. *see* GREENWOOD M.R.
COLLINS G.D. *see* SONG L.
COLOMBATTI A. *see* PUCILLO C.E.M.
COOGAN M.P. *see* YOUNG M.R.I.
CORRALES I., WEERSINK A.J.L., VERHOEF J. & VAN KESSEL K.P.M. Serum-independent binding of lipopolysaccharide to human monocytes is trypsin sensitive and does not involve CD14, 84
CORRIGAL V. *see* VERWILGHEN J.
COSTELLO R., BRAILLY H., MALLET F., MAWAS C. & OLIVE D. Interleukin-7 is a potent co-stimulus of the adhesion pathway involving CD2 and CD28 molecules, 451
COUDERC J. *see* ROGER T.
COURTELLEMONT P. *see* MOULON C.
CRAWFORD D.H. & CATOVSKY D. *In vitro* activation of leukaemic B cells by interleukin-4 and antibodies to CD40, 40

DAHLGREN U.I. *see* WIEDERMANN U.
DAS M.K. *see* SATAPATHY A.K.
DASCOMBE M.J. *see* GONSALKORALE W.M.
DASGUPTA J.D. *see* SUGITA K.
DAVIES M. *see* HUGHES T.R.
DAYER J.-M. *see* PHILIPPE C.
DE LA FUENTE M., BERNAEZ I., DEL RIO M. & HERNANZ A. Stimulation of murine peritoneal macrophage functions by neuropeptide Y and peptide YY. Involvement of protein kinase C, 259
DEARDEN-BADET M.-T. & REVILLARD J.-P. Requirement for tyrosine phosphorylation in lipopolysaccharide-induced murine B-cell proliferation, 658
DEL RIO M. *see* DE LA FUENTE M.
DENG H. *see* LOMBARD-PLATLET S.
DENTENER M.A. *see* VON ASMUTH E.J.U.
DIAZ-SANCHEZ D. *see* NOBLE A.
DIJKSTRA C.D. *see* YOSHIDA K.
DOHLSTEN M. *see* LANDO P.A.
DONACHIE A.M. *see* MOWAT A. McI.
DONADILLE A. *see* PICOT S.
DOTSON A. *see* SAXON A.
DRÁBER P. *see* DRÁBEROVÁ Ľ.
DRÁBEROVÁ Ľ. & DRÁBER P. Cross-linking of Thy-1 glycoproteins or high-affinity IgE receptors induces mast cell activation via different mechanisms, 103
DROVER S. *see* HAJEER A.H.

DUCHROW M. *see* THANHÄUSER A.
DUDLEY E. *see* SANO Y.
DUGAS B. *see* PAUL-EUGENE N.
DUNLOP L. *see* BRETT S.J.
DURIEUX J.-J. *see* LABETA M.O.

ENANE N.A., FRENKEL K., O'CONNOR J.M., SQUIBB K.S. & ZELIKOFF J.T. Biological markers of macrophage activation: applications for fish phagocytes, 68
ERICKSON K.L. *see* SUK K.
ERNST M. *see* THANHÄUSER A.
ERTEL W. *see* ZHU X.

FABIAN I. *see* LEVY POLAT G.
FAITH A. *see* REES A.D.M.
FELBER E. *see* ZWIRNER J.
FERNANDEZ N. *see* LABETA M.O.
FERRANTE A. *see* RATHJEN D.A.
FEUCHT H.E. *see* ZWIRNER J.
FLAD H.-D. *see* THANHÄUSER A.
FLOWER R.J. *see* PERRETTI M.
FORMISANO S. *see* PUCILLO C.E.M.
FOUQUERAY B. *see* PHILIPPE C.
FRAKER P.J. *see* GARVY B.A.
FRANCIS M.J. *see* GREGORIADIS G.
FRANK K.-H. *see* LAUER S.A.
FRENKEL K. *see* ENANE N.A.
FUJII Y., LI A.-L., KOHNO H. & YAMAGUCHI N. Major histocompatibility complex restriction of maternally induced suppression in young adult mice, 337

GARSIDE P. *see* MOWAT A. McI.
GARVY B.A., KING L.E., TELFORD W.G., MORFORD L.A. & FRAKER P.J. Chronic elevation of plasma corticosterone causes reductions in the number of cycling cells of the B lineage in murine bone marrow and induces apoptosis, 587
GERHARD W. *see* LANE P.
GERLIER D. *see* LOMBARD-PLATLET S.
GOLDSTONE S. *see* BAO S.
GONSALKORALE W.M., DASCOMBE M.J. & HUTCHINSON I.V. Cyclic AMP inhibits macrophage suppressor function and enhances lymphocyte proliferation, 611
GORE M.M., KOLHAPURE R.M., GOVARDHAN M.K. & BANERJEE K. Xenogenic transfer of human lymphocytes in tolerized mice, 664
GOVARDHAN M.K. *see* GORE M.M.
GRABER P. *see* KAISERLIAN D.
GREENWOOD J. & CALDER V.L. Lymphocyte migration through cultured endothelial cell monolayers dervied from the blood–retinal barrier, 401
GREENWOOD M.R., TASKER L., COBBOLD P.H. & MARSHALL-CLARKE S. Non-oscillatory free Ca^{2+} response of single B cells and WEHI-231 cells after cross-linking of antigen receptors with anti-immunoglobulin, 51
GREGORIADIS G., WANG Z., BARENHOLZ Y. & FRANCIS M.J. Lipsome-entrapped T-cell peptide provides help for a co-entrapped B-cell peptide to overcome genetic restriction in mice and induce immunological memory, 535
GRIES A. *see* LAUER S.A.
GROSJEAN I. *see* KAISERLIAN D.

HAJEER A.H., SNOWDEN N., WILSON P., DROVER S. & OLLIER W.E. Antibodies to major histocompatibility complex class II inhibit proliferation, but increase production of soluble CD23 in lymphoblastoid B-cell lines, 593
HALL N.D. *see* SANSOM D.M.
HALLETT M.B. *see* PETERSEN M.
HANSON L.A. *see* WIEDERMANN U.
HARADA T. *see* HONG K.
HARON J. *see* WALKER P.R.
HARRIS D.P. *see* VORDERMEIER H.-M.
HARTLEY J.W. *see* MAKINO M.
HARTNELL A., ROBINSON D.S., KAY A.B. & WARDLAW A.J. CD69 is expressed by human eosinophils activated *in vivo* in asthma and *in vitro* by cytokines, 281
HATA N. *see* KAYASHIMA S.
HAWKINS P.N. *see* TENNENT G.A.
HAYDAY A.C. *see* SANO Y.
HEDBERG N.M., HUNTER N., SOUSSOU C. & KNOP A.E. Production of an early release, M_r 36,000 monokine by stimulated rat macrophages, 367
HEDLUND G. *see* LANDO P.A.
HEIN W.R. *see* PRESS C.McL.
HEMPEL U. *see* LAUER S.A.
HERNANZ A. *see* DE LA FUENTE M.
HERRMANN R. *see* LABETA M.O.
HERSCOWITZ H.B. *see* STEELE M.G.
HIGASHI Y. *see* ISHIKAWA T.
HIMAYA Y., KOHNO Y., HOSHIOKA A., SHIMOJO N., TARUTANI O., YOKOCHI T., MARUYAMA N. & NIIMI H. Characterization of a thyroiditis-inducing thyroglobulin-specific T-cell clone restricted by the H-2 molecule of a low responder mouse strain, 488
HIROMATSU Y., SATO M., TANAKA K., ISHISAKA N., KAMACHI J. & NONAKA K. Inhibitory effects of nicotinamide on intercellular adhesion molecule-1 expression on cultured human thyroid cells, 330
HO KIM Y. *see* SONG L.
VAN DEN HOEK A.E.M. *see* JACOBS M.J.M.
HOLMES C.H. *see* SIMPSON K.L.
see also WAINWRIGHT S.D.
HOLMES K.L. *see* MAKINO M.
HOLT P.G. *see* STRICKLAND D.H.
HONG K., HARADA T., NISHIMURA T. & INOUE K. Binding ability of complement receptor CR1 to C3 bound on the surface of M^+ group A streptococci, 640
HOOPER D.C. *see* YOUNG J.L.
HOSHIOKA A. *see* HIMAYA Y.
HOULIHAN J.M. *see* SIMPSON K.L.
HOYNE G.F., CALLOW M.G., KUO M.-C. & THOMAS W.R. Presentation of peptides and proteins by intestinal epithelial cells, 204
HUBELE S. *see* LANE P.
HUGHES T.R., MERI S., DAVIES M., WILLIAMS J.D. & MORGAN B.P. Immunolocalization and characterization of the rat analogue of human CD59 in kidney and glomerular cells, 439
HUNTER N. *see* HEDBERG N.M.
HUSBAND A.J. *see* BAO S.
HUSSAIN M.J. *see* SMERDON R.A.
HUTCHINSON I.V. *see* GONSALKORALE W.M.
HUTTON A.K. *see* MOWAT A. McI.

IMAMURA T. *see* OHTSUKA H.
INOUE K. *see* HONG K.
ISHIDA K. *see* ABE T.
ISHIKAWA T., KAKUMU S., YOSHIOKA K., YAMADA M., TANAKA K., HIGASHI Y., TAKAYANAGI M., OKUMURA A., KOJIMA A. & TAMURA T. Relative immunogenicity of hepatitis B virus-encoded antigens as targets for cytotoxic T-cell response, 313
ISHISAKA N. *see* HIROMATSU Y.
IVANYI J. *see* REES A.D.M.
see also VORDERMEIER H.-M.

JACOBS M.J.M., VAN DEN HOEK A.E.M., VAN DE PUTTE L.B.A. & VAN DEN BERG W.B. Induction of tolerance by T-cell vaccination is possible beyond the area of autoimmunity: down-regulation of immunity directed to foreign protein antigens, 511
JANEWAY C.A. *see* SANO Y.
JEURISSEN S.H.M. The role of various compartments in the chicken spleen during an antigen-specific humoral response, 29
JOH K. *see* SEKI T.
JUE D.-M. *see* KIM K.-U.

KAHU H. *see* WIEDERMANN U.
KAISERLIAN D., LACHAUX A., GROSJEAN I., GRABER P. & BONNEFOY J.-Y. Intestinal epithelial cells express the CD23/FcεRII molecule: enhanced expression in enteropathies, 90

KAKUMU S. *see* ISHIKAWA T.
KALLAND T. *see* LANDO P.A.
KAMACHI J. *see* HIROMATSU Y.
KAMBARA T. *see* OHTSUKA H.
KAY A.B. *see* HARTNELL A.
KAYASHIMA S., TSURU S., HATA N. & ROKUTANDA M. Therapeutic effect of granulocyte colony-stimulating factor (G-CSF) on the protection against *Listeria* infection in SCID mice, 471
KEES U.R. *see* STRICKLAND D.H.
KELD B. *see* SAXON A.
KELLEHER D. *see* LONG A.
KELSO A. *see* ZHAN Y.
KEMENY D.M. *see* NOBLE A.
VAN KESSEL K.P.M. *see* CORRALES I.
KHAN W.I. *see* ABE T.
KHOO S.H. *see* BANSAL A.S.
KIERSZENBAUM F., MEJIA LOPEZ H. & SZTEIN M.B. Does interleukin-2 restore lymphocyte responses suppressed by *Trypanosoma cruzi*? 445
KIM K.-U., KWON O.-J. & JUE D.-M. Pro-tumour necrosis factor cleavage enzyme in macrophage membrane/particulate, 134
KING L.E. *see* GARVY B.A.
KNAPP W. *see* ROSENKRANZ A.R.
KNOP A.E. *see* HEDBERG N.M.
KOHNO H. *see* FUJII Y.
KOHNO Y. *see* HIMAYA Y.
KOJIMA A. *see* ISHIKAWA T.
KOLB J.-P. *see* PAUL-EUGENE N.
KOLHAPURE R.M. *see* GORE M.M.
KÖNIG B. & KÖNIG W. The role of the phosphatidylinositol turnover in 12-hydroxyeicosatetraenoic acid generation from human platelets by *Escherichia coli* α-haemolysin, thrombin and fluoride, 633
KÖNIG W. *see* KÖNIG B.
KRAAL G. *see* STRICKLAND D.H.
KUO M.-C. *see* HOYNE G.F.
KUT J.L. *see* YOUNG M.R.I.
KWON O.-J. *see* KIM K.-U.

LABETA M.O., DURIEUX J.-J., SPAGNOLI G., FERNANDEZ N., WIJDENES J. & HERRMANN R. CD14 and tolerance to lipopolysaccharide: biochemical and functional analysis, 415
LACHAUX A. *see* KAISERLIAN D.
LANDAU S.B. *see* CANCHIS P.W.
LANDO P.A., DOHLSTEN M., HEDLUND G., BRODIN T., SANSOM D. & KALLAND T. Co-stimulation with B7 and targeted superantigen is required for MHC class II-independent T-cell proliferation but not cytotoxicity, 236
LANDSVERK T. *see* PRESS C.McL.
LANE P., GERHARD W., HUBELE S., LANZAVECCHIA A. & McCONNELL F. Expression and functional properties of mouse B7/BB1 using a fusion protein between mouse CTLA4 and human γ1, 56
LANKESTER A.C., VAN NOESEL C.J.M., VAN SCHIJNDEL G.M.W. & VAN LIER R.A.W. Surface expression of immunoglobulin isotypes on primary human B cells: no evidence for glycosyl-phosphatidylinositol linkage, 45
LANZAVECCHIA A. *see* LANE P.
LATHIGRA R. *see* VORDERMEIER H.-M.
LAUDANNA C., MELOTTI P., BONIZZATO C., PIACENTINI G., BONER A., SERRA M.C. & BERTON G. Ligation of members of the β_1 or the β_2 subfamilies of integrins by antibodies triggers eosinophil respiratory burst and spreading, 273
LAUER S.A., HEMPEL U., GRIES A. & FRANK K.-H. Amino acid sequence of the region of β_2-glycoprotein 1 (gp1) which mediates binding of autoantibodies to the cardiolipin–gp1 complex in humans, 22
LAUFER J. *see* LEVY POLAT G.
LAURILA P. *see* VÄKEVÄ A.
LEE T.H. *see* NOBLE A.
LEEUWENBERG J.F.M. *see* VON ASMUTH E.J.U.
LEHNER T. *see* WALKER P.R.
LEVY POLAT G., LAUFER J., FABIAN I. & PASSWELL J.H. Cross-linking of monocyte plasma membrane Fcα, Fcγ or mannose receptors induces TNF production, 287
LEWIS J. *see* SANSOM D.M.
LI A.-L. *see* FUJII Y.
VAN LIER R.A.W. *see* LANKESTER A.C.
LIEW F.Y. *see* BRETT S.J.
LIN R.-H. *see* SANO Y.
LISKAMP R.M.J. *see* LONG A.
LOMBARD-PLATLET S., BERTOLINO P., DENG H., GERLIER D. & RABOURDIN-COMBE C. Inhibition by chloroquine of the class II major histocompatibility complex-restricted presentation of endogenous antigens varies according to the cellular origin of the antigen-presenting cells, the nature of the T-cell epitope, and the responding T cell, 566
LONG A., O'CONNELL M., LISKAMP R.M.J. & KELLEHER D. Regulation of CD3 expression in a protein kinase C isozyme-deficient T-cell line, 654
LUTZ H.U., NATER M. & STAMMLER P. Naturally occurring anti-band 3 antibodies have a unique affinity for C3, 191
LYCKE N. *see* VAJDY M.

McCONNELL F. *see* LANE P.
MAJDIC O. *see* ROSENKRANZ A.R.
MAKINO M., WINKLER D.F., WUNDERLICH J., HARTLEY J.W., MORSE H.C. & HOLMES K.L. High expression of NK-1.1 antigen is induced by infection with murine AIDS virus, 319
MALLET F. *see* COSTELLO R.
MALOY K.J. *see* MOWAT A. McI.
MANDAL B.K. *see* BANSAL A.S.
MANSER T. *see* VERY D.L., JR
MANZINI S. *see* PERRETTI M.
MARCINKIEWICZ J. & CHAIN B.M. Differential regulation of cytokine production by nitric oxide, 146
MARSHAK-ROTHSTEIN A. *see* VERY D.L., JR
MARSHALL-CLARKE S. *see* GREENWOOD M.R.
MARUYAMA N. *see* HIMAYA Y.
MASON P.D., SISSONS J.G.P. & BORYSIEWICZ L.K. Heterogeneity amongst natural killer cells revealed by limiting dilution culture; selectivity against virus-infected and tumour cell targets, 625
MATSUDA S, *see* UCHIKAWA R.
MATSUSHITA M. *see* OHTSUKA H.
MATTHEWS J. *see* YOUNG M.R.I.
MATTHEWS N. *see* BIRD I.N.
MAWAS C. *see* COSTELLO R.
MAYHEW E. *see* NIEDERKORN J.Y.
MEJIA LOPEZ H. *see* KIERSZENBAUM F.
MELOTTI P. *see* LAUDANNA C.
MERI S. *see* HUGHES T.R.
see also VÄKEVÄ A.
METCALFE R.A., TANDON N., TAMATANI T., MIYASAKA M. & WEETMAN A.P. Adhesion molecule monoclonal antibodies inhibit experimental autoimmune thyroiditis, 493
MIYASAKA M. *see* METCALFE R.A.
MORENO C. *see* REES A.D.M.
see also VORDERMEIER H.-M.
MORFORD L.A. *see* GARVY B.A.
MORGAN B.P. *see* HUGHES T.R.
MORIMOTO C. *see* SUGITA K.
MORRISON M.H. *see* ZHU X.
MORSE H.C. *see* MAKINO M.
MOSSALAYI D.M. *see* PAUL-EUGENE N.
MOULON C., PEGUET-NAVARRO J., COURTELLEMONT P., REDZINIAK G. & SCHMITT D. *In vitro* primary sensitization and restimulation of hapten-specific T cells by fresh and cultured human epidermal Langerhans' cells, 373
MOWAT A. McI., HUTTON A.K., GARSIDE P. & STEEL M. A role for interleukin-1α in immunologically mediated intestinal pathology, 110
MOWAT A. McI., MALOY K.J. & DONACHIE A.M. Immune-stimulating complexes as adjuvants for inducing local and systemic immunity after oral immunization with protein antigens, 527
MURAI M. *see* ARAMAKI Y.

NAGEL J.E. *see* SONG L.
NASH A.A. *see* BORROW P.
NATER M. *see* LUTZ H.U.

NIEDERKORN J.Y. & MAYHEW E. 'Subthreshold stimulation' of allospecific delayed hypersensitivity by corneal allografts, 605
NIIMI H. *see* HIMAYA Y.
NISHIMURA T. *see* HONG K.
NOBLE A., STAYNOV D.Z., DIAZ-SANCHEZ D., LEE T.H. & KEMENY D.M. Elimination of IgE regulatory rat $CD8^+$ T cells *in vivo* increases the co-ordinate expression of Th2 cytokines IL-4, IL-5 and IL-10, 326
NOBLE G.E. *see* TENNENT G.A.
VAN NOESEL C.J.M. *see* LANKESTER A.C.
NOJIMA Y. *see* SUGITA K.
NONAKA K. *see* HIROMATSU Y.
NUSSENZWEIG R.S. *see* RODRIGUES M.

O'CONNELL M. *see* LONG A.
O'CONNOR J.M. *see* ENANE N.A.
OGAWA M. *see* OHTSUKA H.
OH-ISHI T. *see* SEKI T.
OHTSUKA H., IMAMURA T., MATSUSHITA M., TANASE S., OKADA H., OGAWA M. & KAMBARA T. Thrombin generates monocyte chemotactic activity from complement factor H, 140
OHTSUKA K. *see* SATO K.
OKADA H. *see* OHTSUKA H.
OKUMURA A. *see* ISHIKAWA T.
OLIVE D. *see* COSTELLO R.
OLLIER W.E. *see* HAJEER A.H.
ORME I.M. *see* APPLEBERG R.
OSBORN G.D. *see* TENNENT G.A.
OUAAZ F. *see* PAUL-EUGENE N.

PANAYI G.S. *see* VERWILGHEN J.
PANKA D.J. *see* VERY D.L., JR
PASSWELL J.H. *see* LEVY POLAT G.
PAUL-EUGENE N., AMIRAND C., OUAAZ F., BALLINI J.-P., MOSSALAYI D.M., DUGAS B. & KOLB J.-P. Biochemical and functional alterations induced by CD23 ligation in the human promonocytic cell line U937, 424
PEAKMAN M. *see* SMERDON R.A.
PÉGUET-NAVARRO J. *see* MOULON C.
PEPYS M.B. *see* TENNENT G.A.
PEREZ J. *see* PHILIPPE C.
PERRETTI M., AHLUWALIA A., FLOWER R.J. & MANZINI S. Endogenous tachykinins play a role in IL-1-induced neutrophil accumulation: involvement of NK-1 receptors, 73
PERRIN M.M. *see* ZHU X.
PETERSEN M., WILLIAMS J.D. & HALLETT M.B. Cross-linking of CD11b or CD18 signals release of localized Ca^{2+} from intracellular stores in neutrophils, 157
PEYRON F. *see* PICOT S.
PHILIPPE C., ROUX-LOMBARD P., FOUQUERAY B., PEREZ J., DAYER J.-M. & BAUD L. Membrane expression and shedding of tumour necrosis factor receptors during activation of human blood monocytes: regulation by desferrioxamine, 300
PIACENTINI G. *see* LAUDANNA C.
PICKL W. *see* ROSENKRANZ A.R.
PICOT S., PEYRON F., DONADILLE A., VUILLEZ J.-P., BARBE G. & AMBROISE-THOMAS P. Chloroquine-induced inhibition of the production of TNF, but not of IL-6, is affected by distribution of iron metabolism, 127
PLACIER S. *see* STEFANOVIC V.
POPE R.M. *see* VERWILGHEN J.
PRESS C.McL., HEIN W.R. & LANDSVERK T. Ontogeny of leucocyte populations in the spleen of fetal lambs with emphasis on the early prominence of B cells, 598
PUCILLO C.E.M., COLOMBATTI A., VITALE M., SALZANO S., ROSSI G. & FORMISANO S. Interactions of promonocytic U937 cells with proteins of the extracellular matrix, 248
PUMPHREY R.S. *see* BANSAL A.S.
VAN DE PUTTE L.B.A. *see* JACOBS M.J.M.

RABOURDIN-COMBE C. *see* LOMBARD-PLATLET S.
RATHJEN D.A., FERRANTE A. & ASTON R. Differential effects of small tumour necrosis factor-α peptides on tumour cell cytotoxicity, neutrophil activation and endothelial cell procoagulant activity, 293
RAVINDRAN B. *see* SATAPATHY A.K.
REBOLLO A. & SILVA A. Intermediate- and high-affinity interleukin-2 receptors expressed in an IL-4-dependent T-cell line induce different signals, 229
REDZINIAK G. *see* MOULON C.
REES A.D.M., FAITH A., ROMAN E., IVANYI J., WIESMULLER K.-H. & MORENO C. The effect of lipoylation on CD4 T-cell recognition of the 19,000 MW *Mycobacterium tuberculosis* antigen, 407
REILING N. *see* THANHÄUSER A.
REVILLARD J.-P. *see* DEARDEN-BADET M.-T.
RIETHMULLER G. *see* ZWIRNER J.
ROBINSON D.S. *see* HARTNELL A.
RODRIGUES M., NUSSENZWEIG R.S. & ZAVALA F. The relative contribution of antibodies, $CD4^+$ and $CD8^+$ T cells to sporozoite-induced protection against malaria, 1
RODRIGUES R. *see* VERWILGHEN J.
ROGER T., BOUDALY S., COUDERC J. & SEMAN M. Mls-1 and Mls-2 superantigens do not control susceptibility to collagen-induced arthritis in H_I and H_{II} mice, 661
ROKUTANDA M. *see* KAYASHIMA S.
ROMAN E. *see* REES A.D.M.
see also VORDERMEIER H.-M.
RONCO P. *see* STEFANOVIC V.
ROSENKRANZ A.R., MAJDIC O., STÖCKL J., PICKL W., STOCKINGER H. & KNAPP W. Induction of neutrophil homotypic adhesion via sialophorin (CD43), a surface sialoglycoprotein resticted to haemopoietic cells, 431
ROSSI G. *see* PUCILLO C.E.M.
ROTT O. *see* TONTSCH U.
ROUX-LOMBARD P. *see* PHILIPPE C.

SALZANO S. *see* PUCILLO C.E.M.
SANO Y., DUDLEY E., CARDING S., LIN R.-H., HAYDAY A.C. & JANEWAY C.A. $\gamma\delta$ T-cell lines isolated from intestinal epithelium respond to a B-cell lymphoma, 388
SANSOM D. *see* LANDO P.A.
SANSOM D.M., WILSON A., BOSHELL M., LEWIS J. & HALL N.D. B7/CD28 but not LFA-3/CD2 interactions can provide 'third-party' co-stimulation for human T-cell activation, 242
SATAPATHY A.K., DAS M.K. & RAVINDRAN B. Murine malaria: anti-erythrocytic antibodies recognize N-acetyl neuraminic acid residues, 546
SATO K., OHTSUKA K., WATANABE H., ASAKURA H. & ABO T. Detailed characterization of δ T cells within the organs in mice: classification into three groups, 380
SATO M. *see* HIROMATSU Y.
SAXON A., KELD B., BRAUN J., DOTSON A. & SIDELL N. Long-term administration of 13-cis retinoic acid in common variable immunodeficiency: circulating interleukin-6 levels, B-cell surface molecule display, and *in vitro* and *in vivo* B-cell antibody production, 477
SCHEEL D. *see* THANHÄUSER A.
VAN SCHIJNDEL G.M.W. *see* LANKESTER A.C.
SCHLOSSMAN S.F. *see* SUGITA K.
SCHLÜTER C. *see* THANHÄUSER A.
SCHMITT D. *see* MOULON C.
SEKI T., JOH K. & OH-ISHI T. Augmented production of interleukin-8 in cerebrospinal fluid in bacterial meningitis, 333
SEMAN M. *see* ROGER T.
SERRA M.C. *see* LAUDANNA C.
SHIMOJO N. *see* HIMAYA Y.
SIDELL N. *see* SAXON A.
SILVA A. *see* REBOLLO A.
SIMPSON K.L., HOULIHAN J.M. & HOLMES C.H. Complement regulatory proteins in early human fetal life: CD59, membrane co-factor protein (MCP) and decay-accelerating factor (DAF) are differentially expressed in the developing liver, 183
SISSONS J.G.P. *see* MASON P.D.
SMERDON R. *see* WALKER P.R.
SMERDON R.A., PEAKMAN M., HUSSAIN M.J. & VERGANI D. Lymphocyte vaccination prevents spontaneous diabetes in the non-obese diabetic mouse, 498
SNOWDEN N. *see* HAJEER A.H.

SOMERS S.D. *see* SUK K.
SONG L., ADLER W.H., CHUNG S., HO KIM Y., TENBROOK J., COLLINS G.D. & NAGEL J.E. Concurrent strong tyrosine phosphorylation of a 42,000 MW ERK and a 100,000 MW protein is associated with IL-2 production in human Jurkat T cells, 222
SOUSSOU C. *see* HEDBERG N.M.
SPAGNOLI G. *see* LABETA M.O.
SPRAGG J.H. *see* BIRD I.N.
SQUIBB K.S. *see* ENANE N.A.
STAMMLER P. *see* LUTZ H.U.
STAYNOV D.Z. *see* NOBLE A.
STEEL M. *see* MOWAT A. McI.
STEELE M.G. & HERSCOWITZ H.B. Suppression of murine IgM, IgG, IgA and IgE antibody responses by alveolar macrophages, 62
STEFANOVIC V., ARDAILLOU N., VLAHOVIC P., PLACIER S., RONCO P. & ARDAILLOU R. Interferon-γ induces dipeptidyl-peptidase IV expression in human glomerular epithelial cells, 465
STOCKINGER H. *see* ROSENKRANZ A.R.
STÖCKL J. *see* ROSENKRANZ A.R.
STRICKLAND D.H., THEPEN T., KEES U.R., KRAAL G. & HOLT P.G. Regulation of T-cell function in lung tissue by pulmonary alveolar macrophages, 266
SUGAYA H. *see* ABE T.
SUGITA K., DASGUPTA J.D., NOJIMA Y., AGEMATSU K., SCHLOSSMAN S.F. & MORIMOTO C. Protein kinase A-mediated phosphorylation of the T-cell surface antigen CD27, 217
SUK K., SOMERS S.D. & ERICKSON K.L. Regulation of murine macrophage function by IL-4: IL-4 and IFN-γ differentially regulate macrophage tumoricidal activation, 617
SWAIN S.L. *see* TONKONOGY S.L.
SZTEIN M.B. *see* KIERSZENBAUM F.

TAKAYANAGI M. *see* ISHIKAWA T.
TAMATANI T. *see* METCALFE R.A.
TAMURA T. *see* ISHIKAWA T.
TANAKA K. *see* HIROMATSU Y.
see also ISHIKAWA T.
TANASE S. *see* OHTSUKA H.
TANDON N. *see* METCALFE R.A.
TARUTANI O. *see* HIMAYA Y.
TASDEMIR I. *see* ABE T.
TASKER L. *see* GREENWOOD M.R.
TELFORD W.G. *see* GARVY B.A.
TENBROOK J. *see* SONG L.
TENNENT G.A., BALTZ M.L., OSBORN G.D., BUTLER P.J.G., NOBLE G.E., HAWKINS P.N. & PEPYS M.B. Studies of the structure and binding properties of hamster female protein, 645
THANHÄUSER A., REILING N., BÖHLE A., TOELLNER K.-M., DUCHROW M., SCHEEL D., SCHLÜTER C., ERNST M., FLAD H.-D. & ULMER A.J. Pentoxifylline: a potent inhibitor of IL-2 and IFN-γ biosynthesis and BCG-induced cytotoxicity, 151
THEPEN T. *see* STRICKLAND D.H.
THOMAS W.R. *see* HOYNE G.F.
TITE J.P. *see* BRETT S.J.
TOELLNER K.-M. *see* THANHÄUSER A.
TONKONOGY S.L. & SWAIN S.L. Distinct lymphokine production by $CD4^+$ T cells isolated from mucosal and systemic lymphoid organs, 574
TONTSCH U. & ROTT O. Intercellular regulation of major histocompatibility complex class I expression in neural cells, 507
TSUCHIYA S. *see* ARAMAKI Y.
TSURU S. *see* KAYASHIMA S.

UCHIKAWA R., YAMADA M., MATSUDA S. & ARIZONO N. IgE antibody responses induced by transplantation of the nematode *Nippostrongylus brasiliensis* in rats: a possible role of nematode excretory–secretor product in IgE production, 541
ULMER A.J. *see* THANHÄUSER A.

VAJDY M. & LYCKE N. Stimulation of antigen-specific T- and B-cell memory in local as well as systemic lymphoid tissues following oral immunization with cholera toxin adjuvant, 197
VÄKEVÄ A., LAURILA P. & MERI S. Co-deposition of clusterin with the complement membrane attack complex in myocardial infarction, 177
VERGANI D. *see* SMERDON R.A.
VERHOEF J. *see* CORRALES I.
VERWILGHEN J., CORRIGAL V., POPE R.M., RODRIGUES R. & PANAYI G.S. Expression and function of CD5 and CD28 in patients with rheumatoid arthritis, 96
VERY D.L., JR, PANKA D.J., WEISSMAN D., WYSOCKI L., MANSER T. & MARSHAK-ROTHSTEIN A. Lack of connectivity between the induced and autoimmune repertoires of *lpr/lpr* mice, 518
VITALE M. *see* PUCILLO C.E.M.
VLAHOVIC P. *see* STEFANOVIC V.
VORDERMEIER H.-M., HARRIS D.P., LATHIGRA R., ROMAN E., MORENO C. & IVANYI J. Recognition of peptide epitopes of the 16,000 MW antigen of *Mycobacterium tuberculosis* by murine T cells, 6
VUILLEZ J.-P. *see* PICOT S.

WAINWRIGHT S.D. & HOLMES C.H. Distribution of Fcγ receptors on trophoblast during human placental development: an immunohistochemical and immunoblotting study, 343
WALKER P.R., SMERDON R., HARON J. & LEHNER T. Mapping major and minor T-cell epitopes *in vitro* and their immunogenic or tolerogenic effect *in vivo* in non-human primates, 209
WANG Z. *see* GREGORIADIS G.
WARDLAW A.J. *see* HARTNELL A.
WATANABE H. *see* SATO K.
WAXMAN F. *see* YOKOYAMA I.
WEERSINK A.J.L. *see* CORRALES I.
WEETMAN A.P. *see* METCALFE R.A.
WEISSMAN D. *see* VERY D.L., JR
WELSH C.J.R. *see* BORROW P.
WIEDERMANN U., HANSON L.Å., KAHU H. & DAHLGREN U.I. Aberrant T-cell function *in vitro* and impaired T-cell dependent antibody response *in vivo* in vitamin A-deficient rats, 581
WIESMULLER K.-H. *see* REES A.D.M.
WIJDENES J. *see* LABETA M.O.
WILLIAMS J.D. *see* HUGHES T.R.
see also PETERSEN M.
WILSON A. *see* SANSOM D.M.
WILSON P. *see* HAJEER A.H.
WILSON P.B. *see* BANSAL A.S.
WINKLER D.F. *see* MAKINO M.
WRIGHT M.A. *see* YOUNG M.R.I.
WUNDERLICH J. *see* MAKINO M.
WYSOCKI L. *see* VERY D.L., JR

YAMADA M. *see* ISHIKAWA T.
see also UCHIKAWA R.
YAMAGUCHI N. *see* FUJII Y.
YANG L. *see* CANCHIS P.W.
YOKOCHI T. *see* HIMAYA Y.
YOKOYAMA I. & WAXMAN F. Clonal variations in complement activation and deposition of C3b and C4b on model immune complexes, 168
YOSHIDA K., VAN DEN BERG T.K. & DIJKSTRA C.D. Two functionally different follicular dendritic cells in secondary lymphoid follicles of mouse spleen, as revealed by CR1/2 and FcRγII-mediated immune complex trapping, 34
YOSHIMURA K. *see* ABE T.
YOSHIOKA K. *see* ISHIKAWA T.
YOUNG J.L. & HOOPER D.C. Characterization of autoreactive helper T cells in a murine model of autoimmune haemolytic disease, 13
YOUNG M.E. *see* YOUNG M.R.I.
YOUNG M.R.I., KUT J.L., COOGAN M.P., WRIGHT M.A., YOUNG M.E. & MATTHEWS J. Stimulation of splenic T-lymphocyte function by endogenous serotonin and by low-dose exogenous serotonin, 395

ZAVALA F. *see* RODRIGUES M.
ZELIKOFF J.T. *see* ENANE N.A.

ZHAN Y., KELSO A. & CHEERS C. Cytokine production in the murine response to brucella infection or immunization with antigenic extracts, 458

ZHU X., ERTEL W., AYALA A., MORRISON M.H., PERRIN M.M. & CHAUDRY I.H. Chloroquine inhibits macrophage tumour necrosis factor-α mRNA transcription, 122

ZWIRNER J., FELBER E., BURGER R., BITTER-SUERMANN D., RIETHMÜLLER G. & FEUCHT H.E. Classical pathway of complement activation in mammalian kidneys, 162

Subject Index

Alveolar macrophages:
  suppression of antibody responses, 62
Antigen presentation, by major histocompatibility complex class II:
  inhibition by chloroquine, 566
Anti-major histocompatibility complex class II antibodies:
  effect on B-lymphoblastoid cell lines, 593
Autoimmune thyroiditis, experimental:
  adhesion molecule monoclonal antibodies and, 493
Autoreactive T-helper cells:
  in murine autoimmune haemolytic disease, 13

B-cell differentiation, *in vivo*:
  effect of 13-cis retinoic acid, 477
B cells, human primary:
  surface expression of immunoglobulin isotypes, 45
B cells, leukaemic:
  activation by interleukin-4 and anti-CD40, 40
B7/BB1, mouse:
  expression and functional studies, 56

Calcium, free:
  response of single B cells, 51
Calcium, localized:
  release signalled by cross-linking of CD11b or CD18, 157
CD4 T cells:
  protection in Theiler's murine encephalomyelitis, 502
CD5 and CD28:
  in rheumatoid arthritis, 96
CD14:
  and tolerance to lipopolysaccharide, 415
CD23, serum:
  in HIV infection, 652
CD23 ligation:
  alterations induced in U937 cells, 424
CD59, rat analogue of human:
  in kidney and glomerular cells, 439
CD1d:
  tissue distribution, 561
$\gamma\delta$ cells:
  characterization in organs of mice, 380
Chloroquine:
  inhibition of tumour necrosis factor-α mRNA transcription, 122
Collagen-induced arthritis:
  role of superantigens in susceptibility to, 661
Corneal allografts:
  stimulation of allospecific delayed-type hypersensitivity, 605
Corticosterone:
  inhibition of lymphopoiesis, 587
CR1 binding of C3 bound to M^+ group A streptococci, 640
Cyclic AMP, inhibition of macrophage suppressor function:
  enhancement of lymphocyte proliferation, 611
Cytokine-mediated bacteriostasis:
  of *Mycobacterium avium*, 352
Cytokines:
  in mice immune to brucella, 458

Dendritic cells, follicular:
  functionally different, 34
Diabetes, spontaneous in non-obese diabetic mice:
  lymphocyte vaccination and, 498

Endothelial cells, human:
  response to endotoxin reduced by anti-CD14, 78

Fcγ receptors:
  on human trophoblast, 343

β_2 glycoprotein:
  sequence of region binding autoantibodies to cardiolipin glycoprotein 1, 22
Granulocyte colony-stimulating factor:
  effect on *Listeria* infection in SCID mice, 471

Hamster female protein:
  structure and properties, 645

IgE responses:
  in nematode infection, 541
Immune-stimulating complexes:
  as mucosal vaccine adjuvants, 527
Induced and autoimmune repertoires:
  in *lpr/lpr* mice, 518
Interferon-γ:
  induction of dipeptidylpeptidase in glomerular epithelial cells, 465
Interferon-γ and interleukin-6:
  localization in intestine, 666
Interleukin-1α:
  role in enteropathy, 110
Interleukin-2 and *Trypanosoma cruzi* induced immunosuppression, 445
Interleukin-3:
  intestinal protection against *Strongyloides ratti* and mastocytosis, 116
Interleukin-7:
  co-stimulation of adhesion pathway with CD2 and CD28, 451
Intestinal epithelial cells:
  expression of CD23/FcεRII, 90
$\gamma\delta$ intraepithelial lymphocytes:
  respond to B lymphoma, 388

Langerhans' cells, human epidermal:
  in vitro hapten T-cell sensitization by, 373
Lipopolysaccharide binding:
  to human monocytes, 84
Liposome entrapped synthetic peptides, 535
Lymphocyte migration:
  through endothelial cell monolayers, 401
Lymphocyte transendothelial migration:
  role of CD31, CD45RA and CD45RO, 553

Macrophage activation, markers:
  fish, 68
Macrophage function:
  regulation by interleukin-4 and interferon-γ, 617
Major histocompatibility complex restriction:
  of maternally induced suppression, 337
Malaria:
  anti-erythrocyte antibodies in, 546
Malaria, protection:
  contribution of CD4, CD8 T cells and antibodies, 1
Marginal zone-like compartment of chicken:
  spleen, 29
Monokine, early release:
  production by rat macrophages, 367
Mucosal T cells, $CD4^+$:
  lymphokine production by, 574

Natural killer cell heterogeneity:
  against virus-infected target cells, 625
Neural cells:
  class I major histocompatibility complex expression, 507
Neutrophil homotypic adhesion:
  via sialophorin, 431

Nitric oxide:
differential regulation of cytokine production, 146

Ontogeny of leucocytes:
in spleen of fetal lambs, 598

Pentoxifylline:
inhibiting interleukin-2 and interferon-γ synthesis and BCG-induced cytotoxicity, 151
Phosphatidylinositol turnover:
role in HETE generation by human platelets, 633
Protein kinase C:
activation in human monocytes, 360
Protein kinase C and CD3 expression, 654
Pro-tumour necrosis factor:
cleavage enzyme, 134

Suppression of murine antibody responses:
by alveolar macrophages, 62

Tachykinins:
and interleukin-1-induced polymorphonuclear leucocyte migration, 73
T-cell clone, thyroiditis-inducing:
characterization, 488
T-cell epitopes:
of the 16,000 MW antigen of *Mycobacterium tuberculosis*, 6
T-cell function:
stimulation by serotonin, 395
T-cell recognition, CD4:
effect of lipoylation, 407
T-cell vaccination and induction of tolerance, 511
Thrombin:
generation of chemotactic activity from complement factor H, 140
Thy-1-mediated mast cell activation, 103
Tumour necrosis factor and interleukin-6:
inhibition of production by chloroquine, 127
Tyrosine phosphorylation:
in lipopolysaccharide-induced murine B-cell proliferation, 658

Vitamin A deficiency:
and immune responses, 581

Xenogenic transfer of human lymphocytes in tolerized mice, 664